

# Pole light

Technical specification / POLE

## Contents

Select a section or page number to jump to it. Use Contents in the footer to return.

|                              |   |
|------------------------------|---|
| 01 Product overview          | 2 |
| 02 Light & electrical        | 3 |
| 03 Mechanical & construction | 3 |
| 04 Service & circularity     | 3 |
| 05 Ordering                  | 3 |

Generated from current saved product details, specification notes and published FAQs. Downloaded copies are dated snapshots. Regenerate after changes. Unanswered fields are omitted. Check suitability for your project before installation.

## 01 Product overview

# Pole light



|                            |          |
|----------------------------|----------|
| Product code               | POLE     |
| Product reference          | 10039    |
| Rated power (standard LED) | 3.6 W    |
| Ingress protection         | IP68     |
| Standard cable length      | 2.00 m   |
| Warranty period            | 10 years |

Product record updated: 2026-09-19 01:51:39

Specification notes revision: 0

## 02 Light & electrical

|                                        |                                                                                                                                         |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Available LED options (colour / power) | 2700K / 1.6W<br>2700K / 2.6W<br>2700K / 3.6W<br>2200K / 1.6W<br>Monochromatic Amber (Better in the case of Turtle/Bats/Wildlife) / 1.6W |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|

## 03 Mechanical & construction

|                         |                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Body material by finish | Black powder coat: CNC machined 6082-T6 aluminium<br>Green powder coat: CNC machined 6082-T6 aluminium<br>Brass: CNC machined Brass CZ121<br>Copper: CNC machined Copper C101<br>CorTen Powder coat: CNC machined 6082-T6 aluminium<br>CUSTOM RAL: CNC machined 6082-T6 aluminium<br>Terra brown (formerly Bronze (RAL 8040)): CNC machined 6082-T6 aluminium<br>Solid Bronze: CNC machined Bronze CA104 |
| Available finishes      | Black powder coat; Green powder coat; Brass; Copper; CorTen Powder coat; CUSTOM RAL; Terra brown (formerly Bronze (RAL 8040)); Solid Bronze                                                                                                                                                                                                                                                              |

## 04 Service & circularity

|                       |     |
|-----------------------|-----|
| TM66 assessment score | 2.6 |
|-----------------------|-----|

## 05 Ordering

|                   |                                                                                           |
|-------------------|-------------------------------------------------------------------------------------------|
| Available options | 100mm longer rod; 200mm longer rod; 250mm longer rod; 300mm longer rod; Upgrade CRI to 95 |
|-------------------|-------------------------------------------------------------------------------------------|