

BRICK LIGHT SPECIFICATION

Version 1: 03/12/2025

Hudson
lighting

Power 6.6W standard option for 350mA. Note. Will not illuminate in reverse polarity

Ingress protection rating IP67
Still maintains full serviceability of all parts including the LED

Cable 0.5mm CSA, 2m long - Longer on request
Suitable for use from -40C to +70C.
Inner cores to +105C.
Cable made in Worsley, UK

Colour Temperature (Kelvin) 1800K
2200K
2700K
3000K

Beam options None.


TM66 Overall: 2.6 - Excellent circularity

CRI 80+ Standard, 90 and 95 available

Finishes Black powder coat
Nato green powder coat
CorTen powder coat
Bronze powder coat
Solid Brass, Copper & Bronze - Pre patination option available
Custom RAL

Warranty 10 Years. Remanufacturing/Refurbishment available for 25 years beyond the date of manufacturing

Efficiency 187 lm/W at chip
Effective Lumens (2700K) -> 1496 lumens - unmeasured.



BRICK LIGHT SPECIFICATION


Hudson
lighting

Replacement Components	LED board Lens Back insert M12 Gland Body
-------------------------------	---

Light Dimensions	238.5x88.5mm overall. 2mm thick bezzel. Cut-out of 215x65 with the included back box.
-------------------------	---

Packaging	Packaging is manufactured in Essex from 100% recycled content. The cardboard tubes can be continue to be recycled or returned to us for direct re use. The end caps are made from 100% recycled polypropylene and can again be re used or recycled.
------------------	---

Available Accessories	3D printed back box - included
------------------------------	--------------------------------



TYPICAL WIRING. NOTE SERIES CONNECTION - INTO POSITIVE, OUT OF NEGATIVE INTO POSITIVE ETC. Easy connection boards are available as an alternative.



MADE IN ENGLAND

COMPLIANCE

Hudson
lighting

For the purposes of UKC, Hudson Lighting Ltd, located at Unit 18 Redlands Centre, Redlands, Coulsdon, Surrey, CR5 2HT is responsible for compliance and documentation. Further details can be requested from info@hudsonlighting.co.uk

Declaration of conformity available on request.

**UK
CA**

Hudson Lighting Ltd (Ireland), registered at Unit 3D North Point House, North Point Business Park, Co. Cork, Ireland, is the responsible entity for ensuring compliance with all applicable European Union directives and regulations, including CE marking.

CE

As the designated European representative, Hudson Lighting Ltd (Ireland):

Ensures conformity of products with the relevant EU legislation.
Maintains the technical documentation required under CE marking.
Acts as the primary contact for European regulatory authorities.

Compliant with 2014/35/EU (Low Voltage Directive), 2014/30/EU (EMC Directive)

Meets Ecodesign Directive (2009/125/EC) and uses 100% recyclable packaging materials.

Conforms to 2001/95/EC.

Declaration of conformity available on request.

Environmental Compliance and Recycling

Hudson Lighting Ltd is fully compliant with the European Union's WEEE Directive (2012/19/EU), ensuring responsible recycling of waste electrical and electronic equipment. Our WEEE Producer Registration Number is WEE/MM3712AA, and we are a proud member of Recolight, supporting sustainable disposal and recycling initiatives.

For recycling and disposal information, visit: <https://www.recolight.co.uk/>

