


MICRO PATH MARKER LIGHT SPECIFICATION

Version 2: Last update 22/05/2025

Hudson
lighting


Power	1.6W, 2.6W or 3.6W - 350mA only. 1.6W standard option.
Ingress protection rating	IP68 Still maintains full serviceability of all parts including the LED
Cable	0.5mm CSA, 2m long - Longer on request Suitable for use from -40C to +70C. Inner cores to +105C. Cable made in Worsley, UK
Colour Temperature (Kelvin)	1800K - 1.6W only 2200K - 1.6W only 2700K 3000K - 1.6W and 2.6W only
Beam options	60 degree opening as standard. Any custom option can be accommodated.
TM66	Overall: 2.6 - Excellent circularity
CRI	80+ Standard, 90 and 95 available
Finishes	Black powder coat Nato green powder coat CorTen powder coat Bronze powder coat Custom RAL Solid Metals - Brass Copper Bronze Note. Bronze is the best finish for high Chlorine or high salt (sea) environments. All other finishes are suitable for close Proximity of the sea environment
Warranty	10 Years. Remanufacturing/Refurbishment available beyond the warranty period for 25 years



PLANTING LIGHT SPECIFICATION

Hudson
lighting

Replacement Components	LED board Protection circuit with cable Top Back Lens O-rings Bowl Rods
Light Total height - FFL Light Diameter	12.1mm projection, 36.4mm overall 34mm Diameter top. 24.8mm back.
Packaging	Packaging is manufactured in Essex from 100% recycled content. The cardboard tubes can be continue to be recycled or returned to us for direct re use. The end caps are made from 100% recycled polypropylene and can again be re used or recycled.
Available Accessories	Extension rods Round mounting plate with screw fixings



TYPICAL WIRING. NOTE SERIES CONNECTION - INTO POSITIVE, OUT OF NEGATIVE INTO POSITIVE ETC. Easy connection boards are available as an alternative.



COMPLIANCE

Hudson
lighting

For the purposes of UKC, Hudson Lighting Ltd, located at Unit 18 Redlands Centre, Redlands, Coulsdon, Surrey, CR5 2HT is responsible for compliance and documentation. Further details can be requested from info@hudsonlighting.co.uk

Declaration of conformity available on request.

**UK
CA**

Hudson Lighting Ltd (Ireland), registered at Unit 3D North Point House, North Point Business Park, Co. Cork, Ireland, is the responsible entity for ensuring compliance with all applicable European Union directives and regulations, including CE marking.

CE

As the designated European representative, Hudson Lighting Ltd (Ireland):

Ensures conformity of products with the relevant EU legislation.
Maintains the technical documentation required under CE marking.
Acts as the primary contact for European regulatory authorities.

Compliant with 2014/35/EU (Low Voltage Directive), 2014/30/EU (EMC Directive)

Meets Ecodesign Directive (2009/125/EC) and uses 100% recyclable packaging materials.

Conforms to 2001/95/EC.

Declaration of conformity available on request.

Environmental Compliance and Recycling

Hudson Lighting Ltd is fully compliant with the European Union's WEEE Directive (2012/19/EU), ensuring responsible recycling of waste electrical and electronic equipment. Our WEEE Producer Registration Number is WEE/MM3712AA, and we are a proud member of Recolight, supporting sustainable disposal and recycling initiatives.

For recycling and disposal information, visit: <https://www.recolight.co.uk/>

